

Technical Specification

Camera

Video resolution

Configurable up to 1280 x 720

Video format

H.264

Imaging

Full Color

CMOS

Auto-adaptive white/black balance and exposure

Audio

Speaker

Microphone

Motion detection

Adjustable sensitivity

Automatic email alerts and push notifications

Digital pan and zoom

Yes

Night vision

850 nm LEDs: illuminates up to 25 feet

IR cut-off filter

Battery

2440mAh rechargeable battery

Battery life varies based on settings, usage, & temperature

Battery level indication

Yes

Field of view

Field of view: 130°

Focus range (ST)

Fixed focus (2 ft to infinity)

Operating temperature

-4° to 113° F (-20° C to 45° C)

Dimension

3.1 x 1.9 x 2.8 in (79.3 x 48.6 x 70.5 mm)

Weight

4.8oz (136 g)

Base Station

Interface port

Fast Ethernet

Indicator LEDs

Power, Internet, Camera

IP configuration

DHCP

Antenna

Internal

Wireless range

300+ feet line of sight

Wireless

2.4GHz

802.11n

Processor and memory

900MHz ARM Cortex A7

128MB Flash, 128MB RAM

Certifications

FCC, IC, CE, UL

Operating temperature

32° to 122° F (0° to 50° C)

Dimension

2.3 x 6.9 x 5.0 in (58.6 x 174.5 x 126.5 mm)

Weight

11.1 oz (316 g)

Requirements

High-speed Internet connection – minimum 1Mbps upstream

stream recommended. Available port on your router.